

RCRA LAND DISPOSAL RESTRICTIONS INSPECTION

I. General Information

Facility: OXFORD INSTRUMENTS INC
 U.S. EPA ID No.: ND0099285264
 Street: 600 milik street
 City: Carteret State: NJ Zip: 07008
 Telephone: 908-541-1300

Inspection Date: 9/21/92 Time: 2:40 (am/pm)
 Weather Conditions: Cloudy, ^{is sunny} mild winds, low 60's

	<u>Name</u>	<u>Agency/Title</u>	<u>Telephone</u>
Inspectors:	<u>Alexis Vitone</u>	<u>Alliance Insp.</u>	<u>908-563-2211</u>

Facility Representatives: Kathleen M Shanley
Admin Assistant, Operations

See Appendix B to determine which of the following LDR waste categories the facility manages:

	<u>Generate</u>	<u>Transport</u>	<u>Treat</u>	<u>Store</u>	<u>Dispose</u>
F001-F005 Solvents	<u>X</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
F020-F023 and F026-F028	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
California List	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
First Third [40 CFR 268.10]	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Second Third [40 CFR 268.11]	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Third Third [40 CFR 268.12]	<u>X</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

* See Appendix A

INSPECTION SUMMARY

Processes That Generate LDR Wastes:

- cleaning of parts w/ 1,1,1, Trichloroethane generates F001
- distillation of Melkanol generates F003
- D001, D002, D008, X910, X850, F002 all generated from processes on site. MS Shanley was unable to provide further information.

LDR Waste Management:

- MS Shanley was unable to provide information regarding Haz Waste Management of LDR waste. However a document from AETC (handler) identifies treatments for wastes and at what facilities, however document doesn't give waste codes.
- Trmt ranges from incineration to chlorination & filtration, fuel blending, chemical reduction & neutralization.

Summary:

- Additional information from facility is needed to better assess and complete this checklist. Information from facility which was received on 4/28/92 lacks some of the information requested, such as LDR wastes and handlers of these.

Signature:

A. Eaton

RCRA LAND DISPOSAL RESTRICTIONS INSPECTION

II. WASTE IDENTIFICATION

A. List waste codes which the facility handles in each of the following LDR categories*:

1. F001 through F005 spent solvents:

F001, F003, F002

2. F020-F023 and F026-F028 dioxin-containing wastes:

3. California List Wastes (See Appendix A):

4. First Third Wastes [40 CFR 268.10]:

5. Second Third Wastes [40 CFR 268.11]:

6. Third Third Wastes [40 CFR 268.12]**:

D001, D002, D008, X910

*See Appendix B.

** Note: Effective 09/25/90, large quantity generators and TSDs are required to use the toxicity characteristic leaching procedure (TCLP) instead of the extraction procedure (EP) for determining the toxicity characteristic (TC). Small quantity generators must comply with this new requirement by 03/29/91. Wastes which exhibit TC, but do not exhibit EP, will be considered "newly identified" wastes. They will be regulated under 40 CFR Part 268 only after they are evaluated by U.S. EPA, even if they are characteristic for a constituent previously covered under the EP toxicity characteristic [55 FR 22531].

B. Waste Code Determination

1. Have all wastes been correctly identified for purposes of compliance with 40 CFR Part 268?*

Yes ☒ No ☐

If no, list below:

Assigned Classification

Correct Classification

*Areas of concern include: California List/waste categories with more stringent treatment standards; listed/characteristic; multi-source/single-source leachate; P and U waste codes/F and K wastes; and waste code carry through principle.

Comments:

Ms. Shanley could not provide waste code for copper sulfate - RL for ADR

2. Have both the listed and characteristic waste code been assigned, where a listed waste exhibits a characteristic? [40 CFR 268.9(a)]

Yes ☐ No ☒ NA ☐

Comments _____

3. Has multi-source leachate been assigned the F039 waste code? * [40 CFR 261.31]

Yes ☐ No ☐ NA ☒

*Leachate derived exclusively from F020-F023 and/or F026-F028 dioxin wastes retains the individual waste codes.

If yes, was single-source leachate combined to form multi-source leachate? [55 FR 22623]

Yes ☐ No ☐

Comments _____

C. Does the facility handle the following wastes (national capacity variances)?

1. F001-F005 contaminated soil and debris resulting from a CERCLA response action or a RCRA corrective action (expires - 11/08/90). [40 CFR 268.30(c)]

Yes ☐ No ☒ List _____

2. Dioxin contaminated soil and debris resulting from a CERCLA response action or a RCRA corrective action (expires - 11/08/90). [40 CFR 268.31(b)]

Yes ☐ No ☒ List _____

3. California list contaminated soil and debris resulting from a CERCLA response action or a RCRA corrective action (expires - 11/08/90). [40 CFR 268.32(d)(2)]

Yes ☐ No ☒ List _____

4. K048-K052 petroleum wastes (nonwastewaters; expires - 11/08/90). [40 CFR 268.35(b)]

Yes ☐ No ☒ List _____

5. Soil and debris contaminated with wastes that had treatment standards based on incineration set in the Second Third rule - F010, F024, K009, K010, K011, K013, K014, K023, K027, K028, K029, K038, K039, K040, K043, K093, K094, K095, K096, K113, K114, K115, K116, P039, P040, P041, P043, P044, P062, P071, P085, P089, P094, P097, P109, P111, U028, U058, U069, U087, U088, U102, U107, U190, U221, U223, U235 (expires - 06/08/91). [40 CFR 268.34(d)]

Yes ☐ No ☒ List _____

6. Soil and debris contaminated with wastes that had treatment standards set in the Third Third rule based on incineration, mercury retorting, or vitrification. See Appendix A; (expires - 05/08/92). [40 CFR 268.35(e)]

Yes ☒ No ☐ List D001, D002, D008

7. The following nonwastewaters - F039, K031, K084, K101, K102, K106, P010, P011, P012, P036, P038, P065, P087, P092, U136, U151. (expires -05/08/92). [40 CFR 268.35(c)]

Yes ☐ No ☒ List _____

8. The following wastes identified as hazardous based on a characteristic alone: D004 (nonwastewaters), D008 (lead materials stored before secondary smelting), D009 (nonwastewaters) (expires - 05/08/92). [40 CFR 268.35(c)]

Yes ☒ No ☐ List D008 (5/8/92 expires)

9. Inorganic solid debris as defined in 40 CFR 268.2(g)*; includes chromium refractory bricks carrying EPA Hazardous Waste Nos. K048-K052 (expires - 05/08/92). [40 CFR 268.35(c)]

Yes ☐ No ☒ List _____

*Note: Incorrect reference [40 CFR 268.2(a)(7)] in Third Third rule.

10. RCRA hazardous wastes that contain naturally occurring radioactive materials (expires - 05/08/92). [40 CFR 268.35(c)]

Yes ☐ No ☒ List _____

11. Wastes listed in 40 CFR 268.10, 268.11, and 268.12 that are mixed radioactive/hazardous wastes (expires - 05/08/92)*. [40 CFR 268.35(d)]

Yes ☐ No ☒ List _____

*Note: 40 CFR 268.10 and 268.11 wastes incorrectly omitted from this variance in the Third Third rule.

RCRA LAND DISPOSAL RESTRICTION INSPECTION

III. GENERATOR REQUIREMENTS

A. Treatability Group/Treatment Standard Identification*

*Note: This information is generally available on LDR notifications. If not, waste profile data and other documentation should be checked.

1. F001-F005 Spent Solvent Wastes: Does the generator correctly determine the appropriate treatability group/treatment standard for each F-solvent?

Yes ☒ No ☐ NA ☐

If available, list each waste code and check the correct treatability group.

<u>Waste Code</u>	<u>Wastewater*</u>	<u>Nonwastewater</u>
<u>Not available</u>		

*Less than 1% by weight total organic carbon (TOC), or less than 1% by weight total F001-F005 solvent constituents listed in 40 CFR 268.41, Table CCWE. [40 CFR 268.2(f)(1)]

Comments _____

2. F020-F023 and F026-F028 Dioxin Wastes: Does the generator correctly determine the appropriate treatability group/treatment standard for each dioxin waste?

Yes ☐ No ☐ NA ☒

If yes, list each waste code and check the correct treatability group.

<u>Waste Code</u>	<u>Wastewater*</u>	<u>Nonwastewater</u>

Comments _____

*Less than 1% TOC by weight and less than 1% total suspended solids (TSS) by weight. [40 CFR 268.2(f)]

3. First, Second, and Third Third Wastes:

- a. Does the generator correctly determine the appropriate treatability group/treatment standard for each waste?

Yes ☒ No ☐ NA ☐

If available, list each waste code and check the correct treatability group:

<u>Waste Code</u>	<u>Subcategory</u>	<u>Wastewater*</u>	<u>Nonwastewater</u>
<i>NOT available</i>			
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

* Less than 1% TOC by weight and less than 1% total suspended solids (TSS) with the following exceptions: K011, K013, and K014 wastewaters - less than 5% by weight TOC and less than 1% by weight TSS; K103 and K104 wastewaters - less than 4% by weight TOC and less than 1% by weight TSS. [40 CFR 268.2(f)(2) and (3)]

Comments _____

- b. Do the assigned treatment standards for listed wastes cover constituents that may cause the waste to exhibit any characteristics? [40 CFR 268.9 (b)]

Yes _____ No _____ NA _____

NOT Known by Ms. Shanley

- c. Does the generator specify alternative treatment standards for lab packs?*

Yes _____ No _____ NA _____

NOT Known by Ms. Shanley

*Use of the alternative treatment standards is not required. [55 FR 22629]

If yes, do lab packs only contain the following wastes?* [40 CFR 268.42(c)(2)]

_____ Organometallics: 40 Part 268, Appendix IV constituents

_____ Organics: 40 CFR Part 268, Appendix V constituents

*Unregulated wastes and hazardous wastes which meet treatment standards may be commingled in the appropriate Appendix IV and V lab pack. [55 FR 22629]

- d. Does the generator specify alternative treatment standards for F039 multi-source leachate?*

Yes _____ No _____ NA ☒

*Use of the alternative treatment standards is required. [55 FR 22619]

4. California List Wastes: Has the generator correctly identified the treatability group and treatment standard/prohibition level for the following wastes? [55 FR 22675]

- a. Liquid hazardous wastes containing PCBs ≥ 50 ppm

Yes _____ No _____ NA ☒

If yes, check the appropriate treatability group:

_____ 50 to 500 ppm PCBs

_____ ≥ 500 ppm PCBs

** Note *
Materials received from
facility address
not address
Per A. - LOR*

- b. Listed or characteristic wastes containing $\geq 1,000$ mg/l (liquids) or mg/kg (non-liquids) HOCs, which are not listed or characterized by the HOC content

Yes ___ No ___ NA ☒

If yes, check the appropriate treatability group:

- ☐ Dilute HOC wastewater (1,000 mg/l to 10,000 mg/l HOCs)
☐ All other HOCs greater than or equal to the prohibition level of 1,000 mg/l (liquids) or mg/kg (non-liquids)

- c. Liquid hazardous wastes that exhibit a characteristic and also contain ≥ 134 mg/l nickel and/or ≥ 130 mg/l thallium

Yes ___ No ___ NA ☒

5. National Capacity Variance Wastes: Have all applicable California List prohibitions been identified for wastes covered under national capacity variances? (See Appendix A.)

Yes ___ No ___ NA ___

If a wastestream contains a mixture of wastes, and a variance only applies to some of the waste codes, has the generator identified all applicable treatment standards and California List prohibitions? (See Appendix A.)

Yes ___ No ___ NA ___

If California List prohibitions apply to wastestreams managed by the generator, complete the following table for each waste code, noting the date on which relevant national capacity variances expire.

Waste Code	Cal List Applicability	Expiration Date
___	___	___/___/___
___	___	___/___/___
___	___	___/___/___

Comments _____

6. Treatment standards expressed as required technologies: Has the generator specified an alternative method to that required in 40 CFR 268.42?

Yes ___ No ___ NA ___

If yes, list the waste code, the technology specified in 40 CFR 268.42, the alternative method, and documentation of approval. [40 CFR 268.42(b)]

Waste Code	Required Technology	Alternative Method	Approval
___	___	___	___
___	___	___	___
___	___	___	___

Comments _____

7. Does the generator mix restricted wastes with different treatment standards for a constituent of concern?

Yes ___ No ☒

If yes, did the generator select the most stringent treatment standards?
[40 CFR 268.41(b) and 268.43(b)]

Yes ___ No ___

Comments _____

B. Waste Analysis

1. Does the generator determine whether restricted wastes exceed treatment standards/prohibition levels at the point of generation?* [268.7(a)]

Yes ☒ No ___

*Note: This determination may be made at the point of disposal if the waste only has a prohibition level in effect.

If no, does the generator ship all restricted wastes as not meeting treatment standards?

Yes ___ No ___

Comments _____

2. Which of the following analytical methods does the generator employ?*

*Note: A "No" answer to applicable questions b. through d. does not necessarily constitute a violation. However, knowledge of waste is rarely adequate if a generator certifies that treatment standard criteria have been met.

- a. Knowledge of waste:

Yes ☒ No ___

If yes, list the wastes for which applied knowledge was used and describe the basis of determination. Attach documentation. [40 CFR 268.7(a)(5)]

All waste - basis of deter is MSDS sheets and
process waste information packages.

- b. TCLP*: Are wastes with treatment standards specified in 40 CFR 268.41 analyzed using TCLP?*** (BDAT*** = stabilization/immobilization technology)

Yes ___ No ___ NA ☒

*TCLP = Toxicity Characteristic Leaching Procedure [40 CFR Part 268, Appendix I, EPA Test Method 1311]

**See Appendix C for exceptions.

***BDAT = best demonstrated available technology. See Appendix A.

If yes, list the wastes for which TCLP was used and provide the date of last test, the frequency of testing, and note any problems. Attach test results. [40 CFR 268.7(a)(5)]

- c. Total constituent analysis: Are wastes with treatment standards specified in 268.43 analyzed using total constituent analysis?* (BDAT = destruction/removal technology)

Yes ☐ No ☒ NA ☐

*See Appendix C for exceptions.

If yes, list the wastes for which total constituent analysis was used and provide the date of last test, the frequency of testing, and note any problems. Attach test results. [40 CFR 268.7(a)(5)]

- d. PFLT*: Was PFLT used to determine if California List constituents were contained in *liquid* hazardous waste?

Yes ☐ No ☒ NA ☒

*PFLT = Paint Filter Liquids Test [Test Method 9095, EPA Publication No. SW-846]

If yes, list the wastes for which PFLT was used and provide the date of last test, the frequency of testing, and note any problems. Attach test results. [40 CFR 268.7(a)(5)]

3. Does the generator treat restricted wastes in 90-day tanks or containers regulated under 40 CFR 262.34 (permissible in some states)?

Yes ☐ No ☒ (If No, go to 4.)

Does the generator treat the wastes to meet appropriate treatment standards/prohibition levels?

Yes ☐ No ☐

If yes, has the generator prepared a waste analysis plan detailing the frequency of testing to be conducted? 40 CFR 268.7(a)(4)

Yes ☐ No ☐ (If No, go to 4.)

Does the plan fulfill the following? [40 CFR 268.7(a)(4)(i)]

- ☐ Based on a detailed chemical and physical analysis of a representative sample
☐ Contains information necessary to treat the wastes in accordance with 40 CFR Part 268 requirements

Has the plan been filed with the Regional Administrator (return receipt, Federal Express slip, etc. required for verification)? [40 CFR 268.7(a)(4)(ii)]

Yes ☐ No ☐

Comments _____

4. Dilution Prohibition [40 CFR 268.3]:

- a. Does the generator mix prohibited* wastes with different treatment standards?

*See Appendix E for distinction between restricted and prohibited wastes.

Yes ☐ No ☒ (If No, go to b.)

List the wastes _____

Are the wastes amenable to the same type of treatment? [55 FR 22666]

Yes ☐ No ☐

Comments _____

- b. Does the generator dilute prohibited wastes to meet treatment standard criteria, or render them non-hazardous? [55 FR 22665-22666]

Yes ☐ No ☒ (If No, go to c.)

Check appropriate category:

- ☐ Dilutes to meet treatment standards
☐ Dilutes to render waste non-hazardous

Do the wastes fall into the following categories? (Check if appropriate.) [40 CFR 268.3(b)]

- ☐ Managed in treatment systems regulated under the Clean Water Act
☐ Non-toxic* characteristic wastes
☐ Treatment standard specified in 40 CFR 268.41 or 268.43

*Non-toxic = D001(except high TOC nonwastewaters), D002, and D003(except cyanides and sulfides). [55 FR 22666]

If the wastes do not fall into the above categories, briefly describe the conditions under which they were diluted.

- c. Based on an assessment of points a. and b., and any other relevant circumstances, does the generator dilute prohibited wastes as a substitute for adequate treatment? [40 CFR 268.3(a)]

Yes ☐ No ☒

Comments _____

5. F039 Multi-source leachate: Has the generator run an initial analysis for all constituents of concern in 40 CFR 268.41 and 268.43? [55 FR 22620]

Yes ___ No ___ NA ☒

C. Management

1. On-Site Management

- a. Are restricted wastes treated (other than in a RCRA exempt unit), stored for greater than 90 (small quantity generator* - 180) days, or disposed on site?

Yes ___ No ☒

(If yes, the TSD Checklist must also be completed.)

* Small quantity generator = generator of greater than or equal to 100 kg/mo. but less than 1,000 kg/mo. hazardous waste, or less than 1 kg/mo. acutely hazardous waste

Comments _____

- b. If the generator treats characteristic wastes in systems regulated under the Clean Water Act, have the following been documented: the determination of restriction, how restricted wastes are managed, and why wastes discharged pursuant to an NPDES permit are not prohibited (if applicable)? [55 FR 22662]

Yes ___ No ☒ NA ___

- c. If the generator treats characteristic wastes in RCRA exempt units to render them non-hazardous, are the wastes managed as restricted until 40 CFR Part 268 treatment standards are met?* [40 CFR 268.9(d)]

Yes ___ No ___ NA ☒

*This applies to both concentration based treatment standards specified in 40 CFR 268.41 and 268.43, and to some 40 CFR 268.42 required methods which result in treatment below the characteristic level. See Appendix D.

2.

Off-Site Management: Waste Exceeds Treatment Standards

- a. Does the generator ship any waste that exceeds treatment standards/prohibition levels (not subject to a national capacity variance) to an off-site treatment or storage facility?

Yes ___ No ___ (If No, go to 3.)

Identify waste code(s) and off-site treatment or storage facilities to which wastes are shipped.

<u>Waste Code</u>	<u>Receiving Facility</u>
_____	_____
_____	_____
_____	_____

ms. Shanley
was unable
to provide
answer
regarding
this.

Does the generator provide a notification to the treatment or storage facility?
[40 CFR 268.7(a)(1)]

Yes ___ No ___ (If No, go to 3.)

If the generator specifies alternative treatment standards for lab packs, is the certification required in 40 CFR 268.7(a)(7) or (8) included with the notification?

Yes ___ No ___ NA ___

b. Is a notification sent with each waste shipment?

Yes ___ No ___

If no, is the waste subject to a tolling agreement pursuant to 262.20(e) (small quantity generator only)?

Yes ___ No ___ (If No, go to 3.)

List waste codes and subsequent handler with whom a contractual tolling agreement is held.

<u>Waste Code</u>	<u>Subsequent Handler</u>
_____	_____
_____	_____
_____	_____

Did the small quantity generator provide a notification to the receiving facility with the first waste shipment subject to the tolling agreement? [40 CFR 268.7(a)(9)]

Yes ___ No ___

3. Off-Site Management: Waste Meets Treatment Standards

a. Does the generator ship waste that meets treatment standards/prohibition levels to an off-site disposal facility?

Yes ___ No ___ (If No, go to 4.)

Identify waste code(s) and off-site disposal facilities:

<u>Waste Code</u>	<u>Receiving Facility</u>
_____	_____
_____	_____
_____	_____

Does the generator provide a notification and a certification to the disposal facility? [40 CFR 268.7(a)(2)(i) and 268.7(a)(2)(ii)]?

Yes ___ No ___ (If No, go to d.)

info not
provided
by Mrs
Shawley

b. Are a notification and a certification sent with each waste shipment?

Yes ___ No ___

If no, is the waste subject to a tolling agreement pursuant to 262.20(e) (small quantity generator only)?

Yes ___ No ___ (If No, go to c.)

List waste codes and subsequent handler with whom a contractual tolling agreement is held.

Waste Code

Subsequent Handler

Did the small quantity generator provide a notification and a certification to the receiving facility with the first waste shipment subject to the tolling agreement? [40 CFR 268.7(a)(9)]

Yes ___ No ___

c. Are characteristic wastes which have been rendered non-hazardous (in a RCRA exempt unit) shipped to a Subtitle D facility?

Yes ___ No ___ NA ___ (If No or NA, go to 4.)

Complete the following table:

Waste Code

Receiving Facility

Are a notification and a certification for each shipment sent to the Regional Administrator or authorized State? [40 CFR 268.9(d)(1) and 268.7(b)(5)]?

Yes ___ No ___

Off-Site Management: Wastes Subject to Variances, Extensions, or Petitions

a. Does the generator ship wastes to a treatment, storage, or disposal facility which are subject to a national capacity variance (40 CFR Part 268, Subpart C), or case-by-case extension (40 CFR 268.5)?

Yes ___ No ___ (If No, go to 5.)

Complete the following table:

Waste Code

Receiving Facility

4.
INFO NOT
provided by
MS Shanley

Does the generator provide notification to the off-site receiving facility that the waste is not prohibited from land disposal? [40 CFR 268.7(a)(3)]

Yes ___ No ___

b. Is a notification sent with each waste shipment?

Yes ___ No ___

If no, is the waste subject to a tolling agreement pursuant to 40 CFR 262.20(e) (small quantity generator only)?

Yes ___ No ___ (If No, go to 5.)

List waste codes and subsequent handler with whom a contractual tolling agreement is held.

Waste Code Subsequent Handler

Did the small quantity generator provide a notification to the receiving facility with the first waste shipment subject to the tolling agreement? [40 CFR 268.7(a)(9)]

Yes ___ No ___

5. Records Retention

Does the generator retain on site copies of all notifications, certifications, and other relevant documents for a period of 5 years? [40 CFR 268.7(a)(6)]

Yes ___ No ___

Are copies of relevant tolling agreements, along with the LDR notification and/or certification, kept on site for at least 3 years after expiration or termination of the agreement? [40 CFR 268.9]

Yes ___ No ___ NA ___

Do LDR documents reflect proper management of wastes previously covered under expired national capacity variances, case by case extensions and the soft hammer provision*?

Yes ___ No ___ NA ___

*See Appendix B. Note that the soft hammer provision expired as of 05/08/90. Soft hammer wastes which had treatment standards established in the Third Third rule were granted a minimum 90-day national capacity variance to 08/08/90.

Comments _____

NO LDR
copies observed
in manifest
files, MS.
Shanley was
unable to
provide documents

D. Treatment Using RCRA 40 CFR Parts 264 and 265 Exempt Units or Processes

1. Are restricted wastes treated in RCRA exempt units (i.e., boilers, furnaces, distillation units, wastewater treatment tanks, elementary neutralization, etc.)?

Yes ____ No ____ (If No, do not complete this section.)

List types of waste treatment units and processes:

<u>Waste Code</u>	<u>Type of Treatment</u>	<u>Treatment Units and Processes</u>
-------------------	--------------------------	--------------------------------------

2. Are treatment residuals generated from these units?

Yes _____ No _____

Comments _____

3. Are residuals further treated, stored for greater than 90/180 days, or disposed on site?

Yes _____ No _____ NA _____

(If yes, the TSD checklist must also be completed.)

E. Additional Comments, Concerns, or Issues Not Addressed in the Checklist:

As stated before Ms Shanley was not very useful in assisting inspection. She had no knowledge regarding restaurant waste and/or treatments. She seemed to be confused regarding CDR wastes.

RCRA LAND DISPOSAL RESTRICTION INSPECTION

IV. TSD REQUIREMENTS

(N/A) →

A. Waste Analysis [40 CFR 268.7(b), 264.13, and 265.13]

- Does the waste analysis plan address the following LDR waste categories? [40 CFR 264.13(b)(6) and 265.13(b)(6)]

F001-F005 Spent Solvents	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA <input type="checkbox"/>
F020-F023 and F026-F028 Dioxins	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA <input type="checkbox"/>
California List Wastes	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA <input type="checkbox"/>
First, Second, and Third Third Wastes	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA <input type="checkbox"/>

Comments _____

- Has the waste analysis plan been revised to address F039 multi-source leachate?

Yes ☐ No ☐ NA ☐

- What date was the waste analysis plan last revised? ____/____/____

- Does analytical data contain all the information required to treat, store, or dispose of restricted wastes? [40 CFR 264.13(a)(1) and 265.13(a)(1)]

Yes ☐ No ☐

If yes, which of the following are sources of analytical data? (More than one may apply.):

- ☐ Generator provides data
- ☐ Facility performs analyses in on-site laboratory
- ☐ Facility contracts analyses at off-site laboratory

If the generator provides data, does the facility provide corroborative testing? [40 CFR 264.13(a)(2) and 265.13(a)(2)]

Yes ☐ No ☐ NA ☐

If analyses are conducted off site, identify lab: _____

- Are wastes with treatment standards specified in 40 CFR 268.41 analyzed using the toxicity characteristic leaching procedure (TCLP)?* (BDAT** = stabilization/immobilization technology) [40 CFR 268.7(b)(1)]

Yes ☐ No ☐ NA ☐

*See Appendix C for exceptions.

**BDAT = best demonstrated available technology. See Appendix A.

If yes, list the wastes for which TCLP was used and provide the date of last test, frequency of testing, and note any problems. Attach test results. [40 CFR 264.73 (b)(3) and 265.73(b)(3)]

- b. Are wastes with treatment standards specified in 40 CFR 268.43 analyzed using total constituent analysis?* (BDAT = destruction/removal technology) [40 CFR 268.7(b)(3)]

Yes ___ No ___ NA ___

*See Appendix C for exceptions.

If yes, list the wastes for which total constituent analysis was used and provide the date of last test, frequency of testing, and note any problems. Attach test results. [40 CFR 264.73 (b)(3) and 265.73(b)(3)]

- c. Is the paint filter liquids test (PFLT) used to determine if California List wastes are contained in *liquid* hazardous waste? [40 CFR 268.32(i)]

Yes ___ No ___ NA ___

If yes, list the wastes for which PELT was used and provide the date of last test, the frequency of testing, and note any problems. Attach test results. [40 CFR 264.73(b)(3) and 265.73(b)(3)]

B. Operating Record [40 CFR 264.73 and 265.73]

1. Does the operating record contain records and results of waste analyses performed as specified in 40 CFR 268.4 and/or 40 CFR 268.7(b)? [40 CFR 264.73(b)(3) and 265.73(b)(3)]

Yes ___ No ___

2. Does the operating record contain copies of LDR notifications and certifications?* [40 CFR 264.73(b)(11), (13), and (15) and 40 CFR 265.73(b)(11), (13), and (15)]

Yes ___ No ___

*Include both those received from generators, and those prepared for off-site shipments.

3. Does the operating record include appropriate documentation for restricted wastes which are managed wholly on site? [40 CFR 264.73(b)(12), (14), and (16) and 265.73(b)(12), (14), and (16)]

Yes ___ No ___ NA ___

Does the documentation discussed in points 2. and 3. reflect proper historical management of wastes previously covered under expired national capacity variances, case by case extensions, and the soft hammer provision?*

Yes ___ No ___ NA ___

*Note that the soft hammer provision expired as of 05/08/90. Soft hammer wastes which had treatment standards established in the Third Third rule were granted a minimum 90-day national capacity variance to 08/08/90.

C. Storage [40 CFR 268.50]

1. Are prohibited* wastes stored on site in containers?

Yes ___ No ___ (If No, go to 2.)

*See Appendix E for distinction between restricted and prohibited wastes.

Are all containers clearly marked to identify the contents and date(s) entering storage? [40 CFR 268.50(a)(2)(i)]

Yes ___ No ___

Have wastes been stored for more than one year since the applicable LDR regulations went into effect?

Yes ___ No ___ (If No, go to 2.)

Can the facility show that such accumulation is necessary to facilitate property recovery, treatment, or disposal? [40 CFR 268.50 (c)]

Yes ___ No ___

If yes, state how: _____

2. Are prohibited wastes stored on site in tanks?

Yes ___ No ___ (If No, go to 3.)

Are all tanks clearly marked with a description of the contents, the quantity of each hazardous waste received, and date each period of accumulation begins, or is such information recorded and maintained in the operating record? [40 CFR 268.50(a)(2)(ii)]

Yes ___ No ___

Have tanks been emptied at least once per year since the applicable LDR regulations went into effect?

Yes ___ No ___ (If Yes, go to 3.)

Can the facility show that such accumulation is necessary to facilitate proper recovery, treatment, or disposal? [40 CFR 268.50(c)]

Yes ☐ No ☐

If yes, state how: _____

3. Does the facility store liquid hazardous waste containing PCBs at concentrations greater than or equal to 50 ppm?

Yes ☐ No ☐ (If No, go to D.)

Does the facility meet the TSCA criteria in 40 CFR 761.65(b)? [40 CFR 268.50(f)]

Yes ☐ No ☐

Have these wastes been stored for more than one year? [40 CFR 268.50(f)]

Yes ☐ No ☐

D. Treatment

1. Does the facility treat restricted wastes other than in surface impoundments?

Yes ☐ No ☐ (If No, do not complete this section. Go to E.)

2. Are required technologies used to treat wastes which have treatment standards specified in 40 CFR 268.42? [40 CFR 268.40(b)]

Yes ☐ No ☐ NA ☐ (If Yes or NA, go to 3.)

Was an alternative method approved?

Yes ☐ No ☐

List each waste code, the technology specified in 40 CFR 268.42, and the alternative method. Check if approval of the alternative method is documented. [40 CFR 268.42(b)]

<u>Waste Code</u>	<u>Required Technology</u>	<u>Alternative Method</u>	<u>Approval</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

3. Lab packs: If alternative treatment standards are specified, are incinerator residues from lab packs containing D004, D005, D006, D007, D008, D010, and D011 treated in compliance with the subpart D treatment standards for these characteristic wastes? [40 CFR 268.42(c)(4)]

Yes ☐ No ☐ NA ☐

4. Describe all other waste codes and treatment processes:

<u>Waste Code</u>	<u>Treatment Processes</u>
_____	_____
_____	_____
_____	_____

5. Characteristic wastes:

Is the 40 CFR Part 268 treatment standard lower than the 40 CFR Part 261 characteristic level?*

Yes ___ No ___

*This applies to both concentration based treatment standards specified in 40 CFR 268.41 and 268.43, and to some 40 CFR 268.42 required methods which result in treatment below the characteristic level. See Appendix D.

If yes, does the facility manage the waste as restricted until 40 CFR Part 268 treatment standards are met, even after the waste is rendered non-hazardous? [40 CFR 268.9(d)]

Yes ___ No ___

Comments _____

6. Dilution Prohibition [40 CFR 268.3]:

- a. Does the facility mix prohibited wastes with different treatment standards?

Yes ___ No ___ (If No, go to c.)

List the wastes _____

- b. Are the wastes amenable to the same type of treatment? [55 FR 22666]

Yes ___ No ___

If yes, is this method used for the aggregated wastes?

Yes ___ No ___

Comments _____

- c. Based on an assessment of points a. and b., or any other relevant information, is dilution used as a substitute for treatment? [40 CFR 268.3(a)]

Yes ___ No ___

Comments _____

7. Does the facility, in accordance with an acceptable waste analysis plan, test residues from all treatment processes? [40 CFR 268.7(b)]

Yes ☐ No ☐

Comments _____

8. Does the facility ship any characteristic wastes which have been rendered non-hazardous to a Subtitle D facility?

Yes ☐ No ☐ (If No, go to 9.)

Complete the following table:

<u>Waste Code</u>	<u>Receiving Facility</u>
_____	_____
_____	_____
_____	_____

Are a notification and a certification for each shipment sent to the Regional Administrator or authorized State? [40 CFR 268.9(d)(1) and 268.7(b)(5)]

Yes ☐ No ☐

9. Does the facility ship any wastes or treatment residues to an off-site land disposal facility?

Yes ☐ No ☐ (If No, go to 10.)

Complete the following table:

<u>Waste Code</u>	<u>Receiving Facility</u>
_____	_____
_____	_____
_____	_____

Are a notification and a certification provided to the land disposal facility with each waste shipment? [40 CFR 268.7(b)(4) and 40 CFR 268.7(b)(5)]

Yes ☐ No ☐

10. Does the facility ship any wastes or treatment residues to be further managed at a different treatment or storage facility?

Yes ☐ No ☐ (If No, go to E.)

Complete the following table:

Waste Code

Receiving Facility

Are appropriate generator notifications and certifications provided to the receiving facility with each waste shipment? [40 CFR 268.7(b)(6)]

Yes ____ No ____

E. Surface Impoundments [40 CFR 268.4]

1. Are restricted wastes placed in surface impoundments for treatment?

Yes ____ No ____ (If No, go to F.)

List _____

2. Are evaporation or dilution the only recognizable treatment occurring in the surface impoundment? [40 CFR 268.3(a) and 268.4(b)]

Yes ____ No ____

Comments _____

3. Has the facility submitted to the Agency a waste analysis plan and certification of compliance with minimum technology requirements and ground-water monitoring requirements? [40 CFR 268.4(a)(4)]

Yes ____ No ____

4. If the minimum technology requirements have not been met, has a waiver been granted for that unit? [40 CFR 268.4(a)(3)(ii)]

Yes ____ No ____ NA ____

5. Are representative samples of sludge and supernatant from the surface impoundment tested separately, acceptably, and in accordance with the sampling frequency and analyses specified in the waste analysis plan? (Attach test results.) [40 CFR 268.4(a)(2)(i)]

Yes ____ No ____

6. Does the operating record adequately document the results of waste analyses performed in accordance with 40 CFR 268.4? [40 CFR 264.73(b)(3) and 265.73(b)(3)]

Yes ____ No ____

Comments _____

7. Do the treatment residues (sludges or liquids) exceed applicable treatment standards/prohibition levels?

Sludge Yes ☐ No ☐ Waste Code _____
Supernatant Yes ☐ No ☐ Waste Code _____

Provide the frequency of analyses conducted on treatment residues:

8. If sludge residues exceed treatment standards/prohibition levels, are they removed on an annual basis? [40 CFR 268.4(a)(2)(ii)]

Yes ☐ No ☐ NA ☐

Comments _____

Are residues subsequently managed in another surface impoundment? [40 CFR 268.4(a)(2)(iii)]

Yes ☐ No ☐

9. If supernatant is determined to exceed treatment standards, is annual throughput greater than impoundment volume? [40 CFR 268.4(a)(2)(ii)]

Yes ☐ No ☐ NA ☐

Comments _____

F. Land Disposal

1. Are restricted wastes placed in or on the land in units such as landfills, surface impoundments*, waste piles, land treatment units, salt domes/beds, mines/caves, concrete vaults, or bunkers? [40 CFR 268.2(c)]

Yes ☐ No ☐ (If No, go to G.)

*Note: Do not include surface impoundments addressed in E.

If yes, specify which units and what wastes each unit has received:

<u>Unit</u>	<u>Waste</u>
_____	_____
_____	_____
_____	_____

2. Does the facility, in accordance with an acceptable waste analysis plan, test prohibited wastes prior to land disposal to ensure that all applicable treatment standards and/or prohibition levels have been met? [40 CFR 268.7(c)(2)]

Yes ☐ No ☐

Comments _____

3. Does the facility test wastes to ensure that they do not exhibit any characteristics at the point of disposal?* [40 CFR 268.9(c)]

Yes ___ No ___ NA ___

*Note: A waste may exceed a characteristic level only if the treatment standard for that characteristic has been met.

4. Does the operating record adequately document the results of waste analyses performed in accordance with 40 CFR 268.7(c)? [40 CFR 264.73(b)(3) and 265.73(b)(3)]

Yes ___ No ___

If yes, at what frequency are analyses performed? _____

5. Does the facility land dispose of restricted wastes which are not prohibited?

Yes ___ No ___ (If No, go to 6.)

List waste codes in appropriate category below:

National Capacity Variance (40 CFR Part 268, Subpart C) _____

Case-By-Case Extension (40 CFR 268.5) _____

No-Migration Petition (40 CFR 268.6) _____

Treatment Standard Variance (40 CFR 268.44) _____

Does the operating record contain records of the quantities, date of placement, and a copy of the generator notification [40 CFR 268.7(a)(3)] for each shipment of restricted waste subject to a case-by case extension or no-migration petition? [40 CFR 264.73(b)(10) and 265.73(b)(10)]

Yes ___ No ___ NA ___

Do land disposal units receiving wastes covered by a national capacity variance or case-by-case extension meet the requirements in 40 CFR 268.5(h)(2)?

Yes ___ No ___ NA ___

If the facility has a case-by-case extension, is progress being made as described in reports to the Regional Administrator?

Yes ___ No ___ NA ___

6. Are restricted wastes placed in underground injection wells?

Yes ___ No ___ List _____

G. Other Wastestreams

1. Does the facility generate wastes other than residues from RCRA treatment units?

Yes ___ No ___ (If No, go to H.)

2. On-Site Management

- a. If characteristic wastes are treated in systems regulated under the Clean Water Act, have the following been documented: the determination of restriction, how restricted wastes are managed, and why wastes discharged pursuant to an NPDES permit are not prohibited (if applicable)? [55 FR 22662]

Yes ___ No ___ NA ___

- b. If characteristic wastes are treated in RCRA exempt units to render them non-hazardous, are the wastes managed as restricted until 40 CFR Part 268 treatment standards are met?* [40 CFR 268.9(d)]

Yes ___ No ___ NA ___

*This applies to both concentration based treatment standards specified in 40 CFR 268.41 and 268.43, and to some 40 CFR 268.42 required methods which result in treatment below the characteristic level. See Appendix D.

3. Off-Site Management: Waste Exceeds Treatment Standards

Are wastes that exceed treatment standards/prohibition levels (not subject to a national capacity variance) shipped to an off-site treatment or storage facility?

Yes ___ No ___ (If No, go to 4.)

Identify wastes code(s) and off-site treatment or storage facilities to which wastes are shipped.

Waste Code

Receiving Facility

_____	_____
_____	_____
_____	_____

Are LDR notifications provided for each shipment to the treatment or storage facility? [40 CFR 268.7(a)(1)]

Yes ___ No ___ (If No, go to 4.)

If alternative treatment standards are specified for lab packs, is the certification required in 40 CFR 268.7(a)(7) or (8) included with the notification?

Yes ☐ No ☐ NA ☐

4. Off-Site Management: Wastes Meets Treatment Standards

- a. Are wastes that meet treatment standards/prohibition levels shipped to an off-site disposal facility?

Yes ☐ No ☐ (If No, go to 5.)

Identify waste code(s) and off-site disposal facilities:

<u>Waste Code</u>	<u>Receiving Facility</u>
_____	_____
_____	_____
_____	_____

Are LDR notifications and certifications provided for each shipment to the disposal facility? [40 CFR 268.7(a)(2)(i) and 268.7(a)(2)(ii)]?

Yes ☐ No ☐ (If No, go to b.)

- b. Are characteristic wastes which have been rendered non-hazardous (in a RCRA exempt unit) shipped to a Subtitle D facility?

Yes ☐ No ☐ NA ☐ (If No or NA, go to 5.)

Complete the following table:

<u>Waste Code</u>	<u>Receiving Facility</u>
_____	_____
_____	_____
_____	_____

Are a notification and a certification for each shipment sent to the Regional Administrator or authorized State? [40 CFR 268.9(d)(1) and 268.7(b)(5)]?

Yes ☐ No ☐

5. Off-Site Management: Wastes Subject to Variances, Extensions, or Petitions

- a. Are wastes that are subject to a national capacity variance (40 CFR Part 268, Subpart C) or a case-by-case extension (40 CFR 268.5) shipped to a treatment, storage, or disposal facility?

Yes ___ No ___ (If No, go to 6.)

Complete the following table:

<u>Waste Code</u>	<u>Receiving Facility</u>
_____	_____
_____	_____
_____	_____

- b. Are LDR notifications (stating that the waste is not prohibited from land disposal) provided for each shipment to the off-site receiving facility? [40 CFR 268.7(a)(3)]

Yes ___ No ___

6. Dilution Prohibition [40 CFR 268.3]:

- a. Are prohibited* wastes with different treatment standards mixed?

*See Appendix E for distinction between restricted and prohibited wastes.

Yes ___ No ___ (If No, go to b.)

List the wastes _____

Are the wastes amenable to the same type of treatment? [55 FR 22666]

Yes ___ No ___

Comments _____

- b. Are prohibited wastes diluted to meet treatment standard criteria, or render them non-hazardous? [55 FR 22665-22666]

Yes ___ No ___ (If No, go to c.)

Check appropriate category:

___ Dilutes to meet treatment standards
___ Dilutes to render waste non-hazardous

☐ Managed in treatment systems regulated under the Clean Water Act
☐ Non-toxic* characteristic wastes
☐ Treatment standard specified in 40 CFR 268.41 or 268.43

If the wastes do not fall into the above categories, briefly describe the conditions under which they were diluted.

Comments _____

This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or printed text visible.

